

Supernumerary Nipples : clinical image

Elharrouni Alaoui A. Bennani M. Douhi Z. Elloudi S. Baybay H. Mernissi FZ

Departement of dermatology CHU HASSAN II FES Morocco

Sir,

We report a case of a 14-year-old girl presented to the consultation room because his mother was worried about a round brown skin lesion over the right breast which enlarged in size and there were no symptoms associated with this lesion. There were no relevant pathological history. Examination the lesion was a round, brown, and slightly elevated from the skin surface. The size was about 1.5 cm in diameter with central projection. The location of the mass was in the breast (figure 1). Diagnostic assessment On the basis of this clinical appearance

the condition diagnosed as a supernumerary nipple located in the same breast.

Accessory nipple is not uncommon, are relatively common congenital abnormalities, more common in male and may present in some rare locations but the most common site is just inferior to a normal breast. It may be removed for cosmetic concerns, if enlarge in size, or associated with any symptom. Treatment is simple excision. We report case of supernumerary nipples localized in the same breast.

This is an extremely rare location, and no case has been reported before.



Figure 1 : A 14-year-old woman with Supernumerary Nipples

References:

- [1] U. Koltuksuz, E. Aydin, Supernumerary breast tissue: a case of pseudomamma on the face, *J. Pediatr. Surg.* 32 (9) (1997) 1377–1378.
- [2] V. Velanovich, Ectopic breast tissue, supernumerary breasts, and supernumerary nipples, *South. Med. J.* 88 (9) (1995) 903–906.
- [3] C. Johnson, B. Felson, H. Jolles, Polythelia (supernumerary nipple): an update, *South. Med. J.* 79 (9) (1986) 1106–1108.
- [4] A.E. Burdick, et al., Axillary polymastia, *J. Am. Acad. Dermatol.* 49 (6) (2003) 1154–1156.
- [5] H. Schmidt, Supernumerary nipples: prevalence, size, sex and side predilection—a prospective clinical study, *Eur. J. Pediatr.* 157 (10) (1998) 821–823